


# DH02 SORBI Electric Dehumidifier With Built-in Air Purifier




User Manual

Read this manual thoroughly before using and save it for future references

Item Number: 58042

#### Get To Know Your Sorbi




#### Before Using Your Device


IMPORTANT: The plastic bag around the filter must be removed before usage, use the following steps to remove the bag.




1. Remove the cover to reveal the filter.



2. Take out the filter.




3. Remove the plastic bag package of the filter.



4. Insert the filter back into place, and close the cover.

#### **Control Panel**



#### Using The Air Purifier

- 1. Place the unit on a flat and level surface.
- 2. Make sure the air filter is in place.
- 3. Plug in the power cord.
- 4. Press the "Air Purifier" button.
- 5. To turn off the unit, press "Air Purifier" button again.

### Using The Dehumidier

- 1. Place the unit on a flat and level surface.
- 2. Make sure the air filter is in place.
- 3. Make sure the water tank is in place.
- 4. Plug in the power cord.
- 5. Press the "Dehumidifier" button.
- 6. To turn off the Dehumidifier feature, press the "Dehumidifier" button again.

Note: The dehumidifier requires the air purifier to work. It can not be turned on by itself like the air purifier. When you activate/turn on the dehumidifier feature, the air purifier will also be turned on passively.

#### Changing Fan Speed

The default fan speed will be set to low when unit is turned on. You can press the "Fan Speed" button to use high speed. Increasing the fan speed will results in better air purifying and dehumidifying results.

#### Purchasing Air Filter Replacement



Scan the QR code to the left with your smartphone to buy a replacement HEPA filter.


Or visit the the following link https://www.amazon.com/dp/B07DQT8VHR

#### How to Replace And Reset Air Purifier Filter:

- 1. When "Air Purifier" light flashes orange, replace the filter
- 2. Pull filter from location and insert new filter.
- 3. After replacing filter, press and hold "Air Purifier" button for seven (7) seconds.
- 4. Release the button once the light changes to solid green.



This LED indicator flashes in orange to remind you to replace the filter.



After replacing filter, press and hold "Air Purifier" button for seven (7) seconds. Release the button once the light changes to solid green.

#### Additional Filter Information

An orange led light will flash when the filter needs replacement. It is recommended to change the air filter about every six (6) months.

Recommendation is based on average daily use as well as the average air quality in the U.S.


\*\*CAUTION\*\* DO NOT flip the air filter after usage, doing so will release air pollutants.

#### How To Empty The Water Tank

- 1. The Water Tank LED indicator flashes red when the water tank needs to be emptied.
- 2. Turn off the dehumidifier.
- 3. Pull out the water tank from chamber.

Note: Do not tilt the water tank as it's filled with water.

- 4. Take out the water tank's top lid, pour out the water, secure lid back on top of tank.
- 5. Put water tank back into the chamber.



#### Note:

- DO NOT IMMERSE DEVICE IN WATER.
- It is recommended to clean the water tank every month.
- Do not use corrosive detergent for cleaning.
- Do not leave water in the tank when not in use.

#### Cleaning The Device

- 1. Turn off the unit and unplug the power cord.
- 2. Remove the water tank, empty the water inside.
- 3. Fill water tank with warm water mixed with vinegar, leave it for 3 to 5 minutes.
- 4. Empty the water tank, rinse with water.
- 5. Use a soft damp cloth to wipe out any dust on unit.

#### **Troubleshoot Guide**

#### Device is not working.

- Check if it's connected to power.
- Check if air filter is properly placed with plastic bag removed.
- Check if water tank is properly placed.

#### Device is not dehumidifying / no water collected.

- Check if dehumidifier is turned on.
- Check if water tank is full.
- Check if the working environment is within its operating temperature range (45°F to 122°F).
- Check if air inlet is blocked or too close to wall.

#### LED status indicates a full tank but it's actually empty.

- Check if the float valve is stuck, clean up the water tank and unstick the float valve.

#### **Product Specifications**

Air Treatment Product Type: Dehumidifier and Air Purifier

Moisture Removal Capacity: 750ml (1.6 pint) / day (MAX)

Water Tank Capacity: 1000ml (1 liter)

Water Full Indicator: Yes

Automatic Shut-off: Yes

Operating Temperature: 45°F to 122°F

Fan Speed: Low / High

Rated Power: 45W (Max)

## HAVING TROUBLE?

We have the most knowledge of our products, contact us **DIRECTLY** for full technical support!

Phone: (510) 687-0388 ext 281 Email: service@tenergy.com

Scan for more product information



www.TenergyLife.com



Electrical waste should not be disposed with household waste. Check with your local authority or retailer for recycling advice.